

DATE: 8/4/2026

COUNCIL ACTION FORM

AGENDA ITEM: Aquatic Center Improvements

HISTORY:

With the Splash Pad project currently on hold, staff was asked by City Council to present options for aquatic center improvements using some of the funds originally allocated for the splash pad. This season we have already completed some general landscape clean-up and added a basketball hoop. To continue the improvements, the following information is being presented to council for their consideration: Two new water features in the zero-depth area along with the addition of a dry play structure in the current sand play area. Below is information on replacement of water features and the addition of a play structure in the current sand play area.

Replacement of water features: Two of our current water features are aged and have lost their play functionality. Several companies were given the opportunity to submit proposals on the replacement of the two water features. Two proposals were received. One proposal from Commercial Recreation Specialists (CRS) and one from Pool Tech Midwest. Both proposals are included for your review. The park board consensus was to accept the proposal from CRS.

Addition of Play Structure: All play equipment previously located in the sand play area has reached its life expectancy and has been removed due to unsafe conditions. A dry play component was to be incorporated within the splash pad design. Transitioning that dry play area to the current sand play area will allow for this component to be an integral part of the aquatic center. Again, several companies were given the opportunity to submit proposals, in which 7 were received. The park board is currently reviewing those proposals and will bring back a recommendation at the next council meeting after their August 19 meeting.

QUOTES AND PRICING:

Included with this action form are the proposals for the two aquatic play features from both CRS and Pool Tech Midwest.

OPTIONS:

1. Accept the proposal from CRS for the replacement of two water features at cost of \$56,105.50.
2. Do nothing at this time.

RECOMMENDATION:

The Park Board and staff recommend proceeding with Option #1.

If you have any questions, please feel free to contact me at 382-4352 (office) or by email at nevadarecreation@gmail.com

JULY 2026

PROPOSAL FOR: AQUATIC CENTER ZERO DEPTH REPLACEMENT FEATURE


NEVADA, IA



COMMERCIAL **RECREATION** SPECIALISTS

Cole Moeller
608.845.0340
Cole@crs4rec.com

Product Cutsheets and Specifications



**The product shown in the image may differ from the actual product sold.*

Ideal age group: 2-5 year old


VOR 7257 SLIDENUK

PRODUCT HIGHLIGHTS

SlideNuk offers a fun and safe first waterslide experience for your youngest visitors!


- Soft water jets create a gentle ride designed for 2-5 year olds
- Clear side panels facilitate lifeguard and parent supervision
- Toddler sized stairs with anti-slip finish promote independence and develop gross motor skills

* Recommended installation in supervised areas




VORTEX-INTL.COM • INFO@VORTEX-INTL.COM
1.877.586.7839 (free USA/CANADA)
+1.514.694.3868 (INTERNATIONAL)

Product Cutsheets and Specifications



Spray Zone - Safety Zone



H./W./L.

53/33/117 in
135/84/297 cm

Color choices

Slide + Stairs: Selected Vortex colors
Structure: Vortex Steel colors



Flow

8-14 GPM
30-53 LPM

Pressure

1.5-2.5 PSI
0.1-0.2 BAR

Color propositions




Installation

- Installation on a flat surface or on a slope up to 1:12 maximum
- Slide must be installed in the same direction of the slope
- Maximum water depth of 12" at the bottom of the slide
- 36" x 76" Landing Mat sold separately and required if flooring is not soft surfacing



VORTEX-INTL.COM • INFO@VORTEX-INTL.COM
1.877.586.7839 (free USA/CANADA)
+1.514.694.3868 (INTERNATIONAL)

Product Cutsheets and Specifications



DualSpray™

Turn, aim and push to spray the other side!

VOR 7282 APEX

The name says it all. APEX is the ultimate challenge. With DualSpray™, SeeFlow™, and surprise bucket splashes, this high-energy game keeps kids and even teens engaged in nonstop action.

Product Highlights

- Two DualSpray™ on each side let players react quickly to spray and dodge opponents
- Two buckets add unexpected splashes, keeping the game exciting and unpredictable
- APEX unites kids, teens, and parents for an interactive and competitive splash pad experience

Ideal Age Group: 8+



*The product shown in the image may differ from the actual product sold.



VORTEX-INTL.COM • INFO@VORTEX-INTL.COM
1.877.586.7839 (free USA/CANADA)
+1.514.694.3868 (INTERNATIONAL)

H/W/L


140.5/65/32 in
357/165/81 cm

Flow

9-11 GPM
34-42 LPM

Pressure

6-8 PSI
0.4-0.6 BAR



SprayZone

18 x 21.5 ft
549 x 655 cm

Color Selection



Color Combo N°1

Structure: Vortex colors

SeeFlow™ Panel: ●

Feature parts: ● ●



Color Combo N°2

Structure: Vortex colors

SeeFlow™ Panel: ●

Feature parts: ● ●


Product Innovations

This product features the following technologies that are unique to Vortex:



SeeFlow™

- Impact-resistant polymer resistant to UV rays and chemicals
- Colorful reflections are created with the combination of bright colors, water, and sunlight



DualSpray™

- Kids turn 360°, aim, and push DualSpray™ to activate sprays on the other side
- Inspire endless playful games and splash battles, keeping kids engaged in interactive water fun
- Made from durable polymer with impact resistance, UV protection, and anti-fungus properties



ToeGuard™

- Protects children's toes from anchoring hardware
- Durable, vandal and chemical resistant
- Soft-touch Elastomer
- Infused with a UV resistant bright color



Anchoring System SafeSwap™


- Attractive ground caps can be substituted for future play products
- Easily move products from one location to another at no additional cost
- Structural stainless steel base for maximum strength



VORTEX-INTL.COM • INFO@VORTEX-INTL.COM

1.877.586.7839 (free USA/CANADA)

+1.514.694.3868 (INTERNATIONAL)



COMMERCIAL **RECREATION** SPECIALISTS

Price Sheet

Pricing Form

Total Equipment Price	<u>\$ 36,250.00</u>
Total Installation Price	<u>\$ 17,600.00</u>
Total Freight Price	<u>\$ 4,200.00</u>
Total Sourcewell Discount	<u>\$ 1,944.50-</u>

Final Total\$ 56,105.50

Name of Firm: Commercial Recreation Specialists

Name of Representative: Cole Moeller

Authorized Signature: *Cole Moeller*

Date: 7/30/2026

Address: 807 Liberty Drive, Suite 101, Verona WI 53593

Phone: 319-331-7640

E-mail Address: cole@crs4rec.com

PLEASE NOTE: THE OWN QUOTES ARE SEPERATED BY INSTA AT ON AND
PRODUCT BECAUSE OF THE APPLIED SOURCEWELL DISCOUNT.



Commercial Recreation Specialists
807 Liberty Drive
Suite 101
Verona, WI 53593
608-848-8781

Quote

Quote Number: QUOTE-0050142
Quote Date: 07/30/2026
Quote Valid Through: 08/29/2026
Payment Terms: Net 30

Bill To:

City of Nevada Parks & Rec
825 15th Street
Nevada, IA 50201

Ship To:

City of Nevada Parks & Rec

825 15th Street
Nevada, IA 50201
515-382-4352
thansen@cityofnevadaiaowa.org

Customer	Customer PO Number	Sales Rep Name
City of Nevada Parks & Rec		Cole Moeller
Need by Date	Earliest Arrival Date	Latest Arrival Date
2026		

Item	Description	Qty	Unit Price	Ext Amount
Labor - Subcontract Labor	Installation of Aquatic Center Feature Replacements: Apex and Slidenuk	1	17,600.00	17,600.00

Scope of Work:

- o Mobilize to site
- o Demo/dispose of existing features
- o Sawcut/demo pool floor to expose existing piping/embeds
- o Supply/install new piping tie-ins for features and install SafeSwaps as required
- o Pour back new pool floor. Supply/install waterstop at joints
- o Paint pool floor to near match existing
- o Install new play features on pool

Exclusions:

- Permitting
- Exact Paint matching on pool
- Receiving, offloading, storage prior to installation.
- Private/Public utility locate required (Unmarked utilities responsibility of Owner).
- Permits and permitting fees not stated above.
- Deliver/provide all equipment to the site prior to arrival
- Site restoration.
- No prevailing wages.

Subtotal	\$17,600.00
Sales Tax	\$0.00
Total	\$17,600.00

Terms:

down payment due upon acceptance of quote
Remaining amount due upon substantial completion.

***Note:** Please review the above information carefully. If satisfactory, please sign and date below and fax to 608-848-8782, email back to your sales representative, or send a copy with your deposit to the address above. We will begin processing your order upon receipt of both your deposit and approval. Additional surcharges may apply depending on final delivery address, actual delivery requirements and payment method.*

Customer Acceptance: _____ **Date:** _____

QUOTE



Account Name: City Of Nevada - IA

Created Date: 6/16/2026 9:44 AM

Project Name: 45886-Fawcett Family Aquatic Center_Nevada_IA

Quote Number: QUO-34817-L4R7T1

Project ID: 45886

Quote Name: 45886-Fawcett Family Aquatic Center_Nevada_IA

Bill To Name: City Of Nevada - IA

Prepared By: Karla Samaniego

Bill To Address: 1209 6th St
Nevada, IA 50201
USA

Email: ksamaniego@vortex-intl.com

Cooperative

Purchasing: Sourcwell contract #101625-VOR

Contact Name: Cole Moeller

Phone: 319.331.7640

Email: Cole@crs4rec.com

VOR	Product No.	Product Name	Description	QTY	List Price	Total Price
1- Play Products					36,250.00	36,250.00
7282	146545-304L	APEX (SW,PC)		1	20,450.00	20,450.00
7257	128253-304L	SLIDENUK W GRAPHICS (PC)	With Landing Mat. Slide Color must be the same as Stair Color.	1	15,800.00	15,800.00
5- Discount					(1,944.50)	(1,944.50)
	12010	Buying Group - Products	Sourcwell	1	(1,944.50)	(1,944.50)
7- Installation Kits					0.00	
	101143-304L	INSTALLATION KIT #SAFESWAP NO1		1		
	101146-304	INSTALLATION KIT # (LARGE SW) SURFACE MOUNT		1		
	102313	TOOL KIT #0 :		1		
	102314	TOOL KIT #1 :SECURITY BITS (ALL)		1		
8- Parts					0.00	
	106887	LANDING MAT (GLUED) 36" X 76" _ASSEMBLY		1		
9- Transport					4,200.00	4,200.00
19030	19030	Freight Fee		1	2,200.00	2,200.00
19020	19020	Embed Freight Fee		1	1,200.00	1,200.00
18020	18020	Packaging Fee		1	800.00	800.00

Additional Information

Priced for 2026 delivery.

Controller, drain, activator and WMS are not included.

Vortex Aquatic Structures International, Corporate Headquarters
7800 Trans Canada, Pointe-Claire, Québec, Canada, H9R 1C6
Tel: +1-514-694-3868 or 1-877-586-7839 (USA & Canada)
Email: info@vortex-intl.com Website: vortex-intl.com

Vortex Aquatic Structures International, USA Office
3500 South Dupont Highway, Suite EP-101, Dover, DE 19901
Tel: +1 (704) 280-09271 or 1-877-586-7839 (USA & Canada)
Email: info@vortex-intl.com Website: vortex-intl.com

QUOTE



Total Summary

Customer Signature:

**Enquire about our cooperative purchasing programs.
Thank you for doing business with us!
Pricing is valid for a period of 45 days.**

Products:	36,250.00
Discount:	(1,944.50)
Transport:	4,200.00
Subtotal:	38,505.50
Total:	38,505.50
Currency:	US Dollar
Incoterm:	

Terms & Conditions

Products Payment Terms: Product <\$100K: 50% deposit at PO, 50% Net 45

Freight Charges

Please note: freight charge is an estimate and is subject to change without notice. Vortex reserves the right to adjust the freight charge quoted above. Should embed equipment be required ahead of scheduled delivery date, additional freight charges will apply.

Purchase Contract Terms & Conditions of Sales

The following terms and conditions (the "Terms and Conditions") form part of the Purchase Contract (the "Purchase Contract") between yourself (the "Customer, and Vortex Aquatic Structures International and/or Vortex USA Inc. ("Vortex"). The Customer's acceptance and understanding of these Terms and Conditions and all other supporting documentation provided as part of this package is evidenced by signing of the Purchase Contract.

VORTEX LIMITED WARRANTY

All Vortex Aquatic Structures International Inc. and Vortex USA Inc. (“Vortex”) aquatic play equipment is designed and manufactured to the highest standards of quality and workmanship. Vortex warrants that all its products will be free of defects in manufacturing, workmanship and material for the coverage periods listed below, subject to the exclusions listed below.

REGISTRATION OF THIS WARRANTY

All warranties commence on the latest of (1) the date of Vortex’s invoice, or (2) delivery of the Vortex aquatic play equipment at the site.

Should any product defect, deficiency or nonconformity appear within the applicable warranty coverage periods, Vortex shall, upon being notified in writing promptly by the Owner after discovery of the defect, deficiency or nonconformity and within the applicable warranty period, correct such defect, deficiency or nonconformity either by repairing any defective part or parts, or by making available a replacement part within 90 days of receiving written notification by the Owner.

WARRANTY COVERAGE PERIODS

25 YEARS	10 YEARS	5 YEARS	2 YEARS	1 YEAR
Stainless steel tubing	- Structural Stainless Steel* - Weld workmanship - Spraylink™ underground system	- Aluminum - Brass - Spray nozzles - Barrier Panels - UV disinfection system**	- Finishes (Paint adhesion) - Galvanized steel structure - Plumbing Components - Mechanism & Hardware - Polymer (all plastic & rubber components)	- Concrete Components - Electrical Components - Paint graphic & Decal - Fiberglass composite

*Stainless steel used for climbable structures or used to hold a minimum weight of 240 lbs.

** The warranty for UV disinfection systems is provided directly by the Original Equipment Manufacturer (OEM) under their published terms and conditions. Customers are responsible for registering the warranty, ensuring annual servicing by a certified representative using original parts, and contacting the OEM for any claims, repairs, or replacement components. The main unit (excluding consumables) is covered for five years with annual service or one year without; consumables have limited warranty periods. Vortex assumes no responsibility for warranty administration, costs, or delays, and non-compliance with OEM requirements will void the warranty.

Except as expressly set out herein, all third-party warranties provided by the manufacturers and/or distributors of components, equipment, and parts (“Manufacturer”) used on Vortex products are hereby assigned to the Owner, to the extent permitted by law and the Manufacturer. Such third-party warranty shall become the Owner’s sole and exclusive remedy with respect to any defect, deficiency or nonconformity of such items. Any assistance provided by Vortex and/or its authorized representatives with regard to third-party warranties shall not constitute an assumption of the Manufacturer’s liability for any defect, deficiency or nonconformity relating to its products.

VORTEX LIMITED WARRANTY (CONT.)

ENVIRONMENTAL PARAMETERS

Indoor Pool Air Quality

Vortex warrants its products as long as the environment meets or exceeds ANSI / ASHRAE 62.1:2013 or equivalent ventilation for acceptable indoor air quality as well as industry best practices.

Water Quality (Water Recirculation / Fresh Water)

Vortex warrants its products as long as the water quality meets the below chemistry profile and industry best practices:

pH: 7.4-7.6	Free chlorine: 1-5 PPM	Alkalinity: 80-100 PPM
Calcium hardness: 250-350 PPM	Total hardness: 225-250 PPM	Copper/Iron/manganese: Not present
Stabilizer: 40-60 PPM	Saturation index: -0.3 to +0.3	Salt concentration/salinity: 2500-4500 PPM

Outdoor Environmental Conditions

Vortex warrants the performance of the materials used in its products under the following environmental conditions:

Ultraviolet light	Salt exposure	Temperature	Humidity
Powder-coat paint: ASTM D523: 80-95+ - ASTM D523: 55-65 &/or DIN 67530 EN ISO 2813 Plastic: 6,000 kJ or 12,000 kJ of exposure	Paint: ASTM B117 &/or DIN EN ISO 9227 Salt spray resistance: 1000 hrs	Plastic: ASTM D648 &/or ISO 75-2/Be	Paint: ASTM D2247 &/or ISO 6270-1 Humidity resistance: 1000 hrs Plastic: ASTM D 570 & ISO 62 Water absorption: 0.15- 0.2%

EXCLUSIONS TO LIMITED WARRANTY

This Limited Warranty does not apply to the following items:

1. Careless manipulation (including but not limited to mishandling, repackaging and transport) and storage of Vortex equipment (products, systems, subassemblies and parts);
2. Exceeding product and system design capacities;
3. Misapplication, abuse, misuse, and/or operation of the equipment outside the parameters described in the user manual and/or design layouts provided by Vortex;
4. Failure to ensure that the structures and/or equipment are only subjected to normal use for the purpose for which the products were designed;
5. Failure to meet the listed environmental parameters;
6. Failure to erect and/or install products according to the installation and assembly instructions provided by Vortex;
7. Addition or substitution of parts or modification of any type to Vortex equipment or components unless approved by Vortex in writing;
8. Use of non-original Manufacturer replacement parts or failure to comply with any third-party warranty by a Manufacturer;
9. Subjecting the structures and/or equipment to modification, alteration, or repair by persons other than Vortex or its authorized representatives in any respect which, in the judgment of Vortex, affects the condition or operation of the structures and or components;
10. Products, equipment and parts that are exposed to water chemistry profiles outside the listed environmental parameters and swimming pool industry standards, local codes, health and safety standards, acts or regulations, applicable in the jurisdiction in which the equipment was installed;

VORTEX LIMITED WARRANTY (CONT.)

11. Failure to properly winterize equipment according to best practices and the procedures and documentation provided by Vortex, including but not limited to improper drainage in freezing conditions;
12. Accidental damage, fire, acts of God or other unforeseeable and irresistible circumstances outside the control of Vortex;
13. Personal injury due to reckless or improper use of Vortex equipment;
14. Vandalism;
15. Failure or neglect to carry out regular inspection and maintenance of Vortex equipment according to best practices and the procedures and documentation provided by Vortex's user manuals, taking into account its frequency of use and the surrounding environmental conditions;
16. Product installed within 500 yards of saltwater shoreline will be covered for half the period of the standard warranty up to a maximum of 5 years, for defects caused by corrosion;
17. Damage or deterioration of cosmetic surface finishes, including cracking, crazing, discoloration, air voids, fading, or oxidation of gel coat, fabrics, vinyls, plastics, painted items or stainless steel finishes.

CONTACT US

To make a claim under this Limited Warranty, please contact your local Vortex representative or send your written notice of warranty claim, along with proof of purchase containing the original project number and/or project name to Vortex by:

Email: support@vortex-intl.com

Mail: Vortex Aquatic Structures International, 7800 Trans Canada, Pointe-Claire, QC, H9R 1C1, Canada

Fax: +1.514.989.0413

To contact Vortex with any questions or comments with regards to this warranty, call 1.877.586.7839 (free USA/CANADA) or +1.514.694.3868 (INTERNATIONAL) or send email to support@vortex-intl.com.

To contact Vortex with general questions or comments, call 1.877.586.7839 (free USA/CANADA) or +1.514.694.3868 (INTERNATIONAL) or send email to info@vortex-intl.com.

Vortex is not liable for any incidental expenses, inconvenience or loss related to making a warranty claim. For approved warranty replacements, Vortex shall deliver the repaired or replacement part or parts to the Owner via economical ground shipping, free of charge, within the first year of this Limited Warranty. After that period, shipping charges will be charged to the Owner. Vortex will not be responsible for (a) providing labor or the cost of labor for the removal of the defective, deficient or nonconforming part or parts and (b) for the installation of any replacement part or parts provided under this Limited Warranty. Replacement parts will continue to be warranted for the balance of the original warranty coverage periods. For clarity, any part replaced by Vortex will not benefit from the renewal of any coverage period applicable thereto. In no event shall Vortex have any liability or responsibility for any special, indirect, incidental, consequential or exemplary damages or for lost profits or costs for removal and installation required to perform repairs or replacements, including any labor, travel and rental equipment costs arising out of this Limited Warranty or any other agreement between the parties, the settlement of any warranty claims made hereunder, and the use or the repair of the products.



vortex-intl.com
Vortex Aquatic Structures International

1.877.586.7839 (USA & Canada)
+1.514.694.3868 (International)



POOL TECH™
— A WGHK Inc. COMPANY —



Nevada Community Center
1717 Fawcett Parkway
Nevada, Iowa 50201

Summary of Work:

- Removal of Existing Water Features
- Furnish New Water Features
- Install Water Features

Mix and Match	\$117,551.77
---------------	--------------

Select a Group

(1 & 2)	\$87,425.45
(3 & 4)	\$94,914.10
(5 & 6)	\$107,235.99
(3 & 7)	\$79,481.79

Lead times vary by manufacturer. From
4-6 weeks all the way to 10-13 Weeks.



POOL TECH™

A WGHK Inc. COMPANY




Nevada Community Center
1717 Fawcett Parkway
Nevada, Iowa 50201

1



2




4



3



6




5



Rain Drop Play Center-Pirate

7

Fun Forms™
Simple Slide



FunForms™ Aqua Slides

THEMED CREATIONS WITH COOL SPRAY EFFECTS



WATER ODYSSEY™

BY FOUNTAIN PEOPLE

A PLAYCORE Company



Devan Dolphin

Note: Final product may vary from rendering.

Activity

This Aqua Slide is designed for ages 2-5 with a straight chute that exits below the cresting dolphin. Optional water effects include an arching fan jet from the dolphin's mouth for enhanced play value.

Mode: F1005



8 GPM at 3 PSI (30 LPM at 0.21 BAR)
30 GPM at 5 PSI (114 LPM at 0.34 BAR)



6'-8" / 3'-2" / 5'-4"
(203 / 97 / 163 CM)

Features & Benefits

- Can enhance your facility's theme.
- Coated with Aqua Armor - the most durable Chlorine UV and vandal resistant coating in the industry.
- Interchangeable with other Fun Forms™ spray features.
- ASTM compliant.

CREATING COMPELLING AQUATIC PLAY EXPERIENCES
512.392.1155 | www.waterodyssey.com

FUN FORMS AQUA SLIDE™

HAND-CARVED CREATIONS WITH COOL WATER EFFECTS



WATER ODYSSEY™

BY FOUNTAIN PEOPLE

A PLAYCORE Company



SIMPLE SLIDE

ACTIVITY

This Aqua Slide is designed for ages 2-5 with a single straight slide that exits the front.

- Coated with Aqua Armor - the most durable Chlorine, UV and vandal resistant coating in the industry
- ASTM compliant

MODEL: F1111



FLOW: 8 GPM | 30.3 LPM
PRESSURE: 3 PSI | .21 BAR



L/W/H: 6'8" x 2'2" x 4'6"

1 Chute: Recommended for ages 2-5

TECHNICAL NOTES

- Shown designed for flat areas (less than 2% slope/cross slope.) For slopes greater than 2%, in water applications or pool edge configurations consult with Water Odyssey.
- Optional slide mats recommended.
- Visual and dimensions are approximate - final dimensions and colors may vary.

CREATING COMPELLING AQUATIC PLAY EXPERIENCES

512.392.1155 | www.waterodyssey.com



Metro
Oasis
Series


AQUA TABLE TOP

Length/ width: 6'-4" and 4'-5" DIA

height: 4'

gpm: 10 gpm

splash area: 7'



AL106 AQUALAB



A DIVISION OF EMPEX PRODUCTIONS LIMITED

AQUAWAVE T450



A DIVISION OF EMPEX PRODUCTIONS LIMITED




WARNING:

DO NOT EXCEED THE MAXIMUM FLOW RATE OF 37.8 GPM.

NOTE:

- #1 CONCRETE MUST BE LEVEL 2'-0" IN DIAMETER CENTERED ON THE WATER SUPPLY.
- #2 HEAD REQUIRED MEASURED FROM BASE OF FEATURE.
- #3 SUPPLY LINE TO BE SOLVENT WELDED TO OMNIPOD FEATURE RECEIVER.
- #4 CONCRETE TO BE 6" MINIMUM THICKNESS OR PER LOCAL CODE.
- #5 ALL MOUNTING POINTS MUST BE WITHIN $\pm 1/4"$ OF THE SAME ELEVATION UNLESS OTHERWISE NOTED.
- #6 FLOW RATES CALCULATED BASED ON THE FOLLOWING VELOCITIES:
MINIMUM: 7 FPS
INTENDED: 11 FPS
MAXIMUM: 15 FPS

AREA OF INFLUENCE:
14' L X 10' W
VARIES WITH FLOW



INTENDED FLOW	27.7 GPM
GPM OPERATION RANGE	17.7 GPM TO 37.8 GPM
HEAD	5'
MINIMUM SUPPLY LINE SIZE	2"
RECIRCULATED WATER	Yes
POTABLE WATER	Yes
SALT WATER	Yes
OMNIPOD COMPATIBLE	Yes
NUMBER OF PEOPLE TO INSTALL	2
MANHOURS TO INSTALL	2

OMNIPOD
2" SUPPLY LINE OR PER LOCAL CODE.
BASE TO BE SECURED BY (6) Ø1/2" S.S. EXPANSION ANCHORS

AGE AND WEIGHT GUIDELINES

	2-6	7-12	13+	WEIGHT LIMIT
	X	X		150 LBS

WWW.RAIN-DROP.COM



T-419.207.1229

F-419.207.8902

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF RAIN DROP PRODUCTS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RAIN DROP PRODUCTS LLC IS PROHIBITED.

PRODUCT NAME

BIG KAHUNA WAVE SLIDE, OMNI

SHEET 1 OF 1

PRODUCT PART #

WVSL-002-OM




REV

1

WARNING:
DO NOT EXCEED THE MAXIMUM FLOW RATE OF
40.9 GPM.

NOTE:

- #1 CONCRETE MUST BE LEVEL 2'-0" IN DIAMETER
CENTERED ON THE WATER SUPPLY.
- #2 HEAD REQUIRED MEASURED FROM BASE OF
FEATURE.
- #3 SUPPLY LINE TO BE SOLVENT WELDED TO
OMNIPOD FEATURE RECEIVER.
- #4 CONCRETE TO BE 6" MINIMUM
THICKNESS OR PER LOCAL CODE.
- #5 ALL MOUNTING POINTS MUST BE WITHIN
±- 1/4" OF THE SAME ELEVATION UNLESS
OTHERWISE NOTED.
- #6 FLOW RATES CALCULATED BASED ON THE
FOLLOWING VELOCITIES:
MINIMUM: 7 FPS
INTENDED: 11 FPS
MAXIMUM: 15 FPS



INTENDED FLOW	30.0 GPM
GPM OPERATION RANGE	19.1 GPM TO 40.9 GPM
HEAD	6'
MINIMUM SUPPLY LINE SIZE	2"
RECIRCULATED WATER	Yes
POTABLE WATER	Yes
SALT WATER	Yes
OMNIPOD COMPATIBLE	Yes
NUMBER OF PEOPLE TO INSTALL	1
MAN HOURS TO INSTALL	3

WWW.RAIN-DROP.COM

Rain Drop
Products LLC

T-419.207.1229

F-419.207.8902

©2016 Rain Drop Products LLC

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF RAIN DROP PRODUCTS LLC. ANY
REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF RAIN DROP PRODUCTS LLC
IS PROHIBITED.

PRODUCT NAME

PIRATE PLAY CENTER, OMNI

SHEET 1 OF 1

PRODUCT PART #

PPLC-001-OM

REV

1

C:\Vault workspace\Drawings\Above Ground Features\Rain Drop Play Center Pirate\PPLC-001-OM\PPLC-001-OM-ZCS.idw